

Hand Drain Cleaner

Product Description

- Applicable for household small pipes of $\Phi 50\text{mm}$ (2") drain lines
- $\Phi 6\text{mm} \times 3\text{m}$ or $\Phi 6\text{mm} \times 4.5\text{m}$ or $\Phi 6\text{mm} \times 6\text{m}$ cable with bulb head auger
- Flexible cables are put in ABS plastic drum, light and handy
- Simple in structure, easy to handle

Ordering Information

| Catalog No. | Model No. | Description | N.W (kg) |
|-------------|-----------|--|----------|
| 2011010 | HL-38S-1 | Tool with $\Phi 6\text{mm} \times 3\text{m}$ cable | 1.3 |
| 2011011 | HL-38S-2 | Tool with $\Phi 6\text{mm} \times 4.5\text{m}$ cable | 1.6 |
| 2011012 | HL-38S-3 | Tool with $\Phi 6\text{mm} \times 6\text{m}$ cable | 1.9 |

Ideal for users to remove pipe blockages in complex small diameter pipes.



Product Description

- Applicable for household small pipes of $\Phi 20-75\text{mm}$ (3/4"-3") drain lines
- $\Phi 8\text{mm} \times 4.5\text{m}$ or $\Phi 8\text{mm} \times 6\text{m}$ and $\Phi 10\text{mm} \times 4.5\text{m}$ or $\Phi 10\text{mm} \times 6\text{m}$ cable with bulb head auger
- Well balanced for comfortable operation

Ordering Information

| Catalog No. | Model No. | Description | N.W (kg) |
|-------------|-----------|---|----------|
| 2011110 | HL-50S-1 | Tool with $\Phi 8\text{mm} \times 4.5\text{m}$ cable | 2.6 |
| 2011111 | HL-50S-2 | Tool with $\Phi 8\text{mm} \times 6\text{m}$ cable | 3.5 |
| 2011112 | HL-50S-3 | Tool with $\Phi 10\text{mm} \times 4.5\text{m}$ cable | 4.0 |
| 2011113 | HL-50S-4 | Tool with $\Phi 10\text{mm} \times 6\text{m}$ cable | 4.5 |

The professional's choice for many years, the hand drain cleaner offers premium quality. It's the ideal tool for the user who demands the best.



Pneumatic Drain Cleaner

Product Description

- Quickly clear blockages in sinks, drains, and showers in the bathroom, kitchen, garage, and shop
- Easy and safe operation: no electricity = no electrical shock
- Create a shock wave that strikes a clog at 0.7Mpa
- Rubber plugs both directions fit for different diameter and shapes.
- Using air release extension pipes will accommodate complex working environment
- Including main machine, air release extension pipe, adapter, connector

Ordering Information

| Catalog No. | Model No. | Description | N.W(kg) |
|-------------|-----------|--------------|---------|
| 2011200 | GQ-4 | Complete set | 3.8 |

Air powered super plunger quickly and cleanly removes blockages from 3/4" - 4" Pipes and Drains.



Product Description

- Environmentally compatible cleaning tool: safe and simple application, chemical-free
- Numerous application areas, such as wash basins, bathtubs, toilets, showers, and floor drains
- Precise-fitting, high-quality rubber adapter: long service life and complete sealing of drain openings
- Force pump cleaner uses the air pump principle with water pressure: clear obstructions in drains of basins, showers, bathtubs, etc.
- Including main machine, three adapters

Ordering Information

| Catalog No. | Model No. | Description | N.W(kg) |
|-------------|-----------|--------------|---------|
| 2011300 | D-10A | Complete set | 2.2 |



Hand-held Power Drain Cleaner

D-60



For 3/4" to 2 1/2"(19mm-64mm) Drain lines

- Entirely sealed structure, flexible cables are put in large metal drum, to ensure clean and convenient use
- Light weight, easy-to-use, no set-up required.
- Main machine with $\Phi 8\text{mm} \times 7.6\text{m}$ cable and tool box
- Variable speed power unit rotates cable 0-450RPM
- Approved by CE
- Includes HONGLI drain cleaning gloves and operator's manual



Ordering Information

| Catalog No. | Model No. | Description | N.W(kg) |
|-------------|-----------|--|---------|
| 2021410 | D-60 | Complete set (Tool with $\Phi 8\text{mm} \times 7.6\text{m}$ cable), 110V/60HZ | 10.7 |
| 2021420 | D-60 | Complete set (Tool with $\Phi 8\text{mm} \times 7.6\text{m}$ cable), 220V/50HZ | 10.7 |

Power Drain Cleaner

For 3/4" to 2 1/2"(19mm-64mm) Drain lines

- Using $\Phi 8\text{mm}$ and $\Phi 10\text{mm}$ enhanced cable, improving torque transmission, against twisting and winding.
- Entirely sealed structure, flexible cables are put in ABS drum, to ensure clean and convenient use
- Motor power 705W with 0-600RPM adjustable speed
- Auto-feed device feed



For 3/4" to 2 1/2"(19mm-64mm) Drain lines

- Using $\Phi 8\text{mm}$ and $\Phi 10\text{mm}$ enhanced cable, improving torque transmission, against twisting and winding.
- Entirely sealed structure, flexible cables are put in ABS drum, to ensure clean and convenient use
- Motor power 705W with 0-550RPM adjustable speed
- Auto-feed device feed
- 14.4V, low speed high power charged drill
- Includes two pcs 1.3Ah capacious Ni-Cd battery, a charger



Ordering Information

| Catalog No. | Model No. | Description | N.W(kg) |
|-------------|-----------|---|---------|
| 2021510 | D-62A-1 | Complete set (Tool with $\Phi 8\text{mm} \times 10.7\text{m}$ cable), 110V/60Hz | 10.2 |
| 2021520 | D-62A-1 | Complete set (Tool with $\Phi 8\text{mm} \times 10.7\text{m}$ cable), 220V/50Hz | 10.2 |
| 2023110 | D-62A-2 | Complete set (Tool with $\Phi 10\text{mm} \times 7.6\text{m}$ cable), 110V/60Hz | 10.7 |
| 2023120 | D-62A-2 | Complete set (Tool with $\Phi 10\text{mm} \times 7.6\text{m}$ cable), 220V/60Hz | 10.7 |
| 2021610 | D-62B-1 | Complete set (Tool with $\Phi 8\text{mm} \times 10.7\text{m}$ cable, 14.4V battery $\times 2$), 110V/60Hz | 3.65 |
| 2021620 | D-62B-1 | Complete set (Tool with $\Phi 8\text{mm} \times 10.7\text{m}$ cable, 14.4V battery $\times 2$), 220V/50Hz | 2.21 |
| 2023210 | D-62B-2 | Complete set (Tool with $\Phi 10\text{mm} \times 7.6\text{m}$ cable, 14.4V battery $\times 2$), 110V/60 Hz | 1.25 |
| 2023220 | D-62B-2 | Complete set (Tool with $\Phi 10\text{mm} \times 7.6\text{m}$ cable, 14.4V battery $\times 2$), 220V/50 Hz | 0.51 |

Hand-held Power Drain Cleaner

For 3/4"-2 1/2"(19mm-64mm)Drain Lines

- The D70 Drain Cleaner is ideal for cleaning small secondary drain lines from 3/4"-2 1/2".
- Premium-quality, compression-wound inner core cable combines strength and flexibility to resist blockages
- Using $\Phi 8\text{mm}$ and $\Phi 10\text{mm}$ flexible cable, improve torque transmission, against twisting and winding
- Entirely sealed structure, flexible cables are put in large metal drum, to ensure clean and convenient use
- AUTOFEED advances and retrieves the drain cleaning cable with a simple push of a lever
- Shift with 0-600RPM speed adjust
- Motor power:705W
- Approved by CE



Ordering Information

| Catalog No. | Model No. | Description | N.W (kg) |
|-------------|-----------|--|----------|
| 2021710 | D-70 | Complete set (Tool with $\Phi 8\text{mm} \times 10.7\text{m}$ cable) 110V/60Hz | 10.1 |
| 2021720 | D-70 | Complete set (Tool with $\Phi 8\text{mm} \times 10.7\text{m}$ cable) 220V/50Hz | 10.1 |
| 2021810 | D-70-1 | Complete set (Tool with $\Phi 10\text{mm} \times 7.6\text{m}$ cable) 110V/60Hz | 10.6 |
| 2021820 | D-70-1 | Complete set (Tool with $\Phi 10\text{mm} \times 7.6\text{m}$ cable) 220V/50Hz | 10.6 |



Sectional Drain Cleaner

D-75

For 3/4" to 4" (19mm-100mm) Drain Lines.

- Compact, versatile, professional machine. Capable of running three different size cables: 8mm, 15mm, and 16mm. The perfect, all-round sink, shower and floor drain machine.
- Unique, easy-to-use, instant-acting cable clutch maximizes operator control:
Pull handle down and cable spins at 400RPM.
Release handle, cable stops instantly.
- Equipped with 250W motor, 110V, 220V models.
- Includes HONGLI drain cleaning machine mitt and operator's manual.
- Approved by CE.



Specifications

- Main machine
- Φ 16mm cable combination
- Φ 16mm drills (8 pieces)
- Φ 4mm key
- Φ 8mm \times 5m cable combination
- Protection gloves
- Accessory barrel

Ordering Information

| Catalog No. | Model No. | Description | N.W (kg) |
|-------------|-----------|-------------------------|----------|
| 2021910 | D-75 | Drain clener, 110V/60Hz | 30 |
| 2021920 | D-75 | Drain clener, 220V/50Hz | 30 |

Drain Cleaning

Basic Equipment

| Catalog No. | Model No. | Description | Picture | |
|-------------|---|---|---|---|
| 2021912 | Φ16mm cable combination (2021927) | 1pc Φ15mm×2.3m Flexible Cable with Bulb Auger at one end |  | |
| 2021913 | | 7pcs Φ16mm×2.3m Cable | | |
| 2021914 | | Φ430mm Cable Holder | | |
| 2021915 | Φ16mm drills (2021928) | Straight Auger |  | |
| 2021916 | | Bulb Auger |  | |
| 2021917 | | Flexible Bulb Auger |  | |
| 2021918 | | Retrieving Auger |  | |
| 2021919 | | 4-Blade Cutter |  | |
| 2021920 | | Grease Cutter |  | |
| 2021921 | | Sawtooth Cutter |  | |
| 2021922 | | C-Cutter |  | |
| 2021923 | | Accessories | Φ8mm×5m soft shaft combination |  |
| 2021924 | | | Φ4mm key |  |
| 2021925 | Protection Gloves | |  | |
| 2021926 | Accessory Barrel | |  | |

Sectional Drain Cleaning Machine

D150

For 3/4" to 6" (19mm-150mm) Drain Lines.

- Driver lever can be locked in stop position; very robust, and also serves as carrying handle for the machine.
- Clamping device for secure extending/retrieving of the cable.
- Die-cast aluminum frame, distortion-resistant and extremely light.
- Unique, easy-to-use, instant-acting cable clutch maximizes operator control:
Pull handle down and cable spins at 400RPM.
Release handle, cable stops instantly.
- Equipped with 370W motor, 110V, 220V models.
- Includes HONGLI drain cleaning machine mitt and operator's manual.
- Approved by CE.

Specifications

- Main machine
- Φ 16mm cable combination
- Φ 22mm cable combination
- Φ 16mm drills (4 pieces)
- Φ 22mm drills (4pieces)
- Φ 4mm key & Φ 5.5mm key
- Φ 8mm \times 5m cable combination
- Protection gloves
- Accessory barrel

Ordering Information

| Catalog No. | Model No. | Description | N.W (kg) |
|-------------|-----------|--------------------------|----------|
| 2022010 | D150 | Drain cleaner, 110V/60Hz | 48 |
| 2022020 | D150 | Drain cleaner, 220V/50Hz | 48 |



Drain Cleaning

Ordering Information

| Catalog No. | Model No. | Description | Picture |
|-------------|---|---|---|
| 2021912 | Φ16mm cable combination (2021927) | 1pc Φ15mm×2.3m Flexible Cable with Bulb Auger at one end |  |
| 2021913 | | 5pcs Φ16mm×2.3m Cable | |
| 2021914 | | Φ430mm Cable Holder | |
| 2022015 | Φ22mm cable combination (2022027) | 3pcs Φ22mm×4.6m Cable |  |
| 2021914 | | Φ430mm Cable Holder | |
| 2021915 | Φ16mm drills (2022028) | Straight Auger |  |
| 2021917 | | Flexible Bulb Auger |  |
| 2021918 | | Retrieving Auger |  |
| 2021919 | | 4-Blade Cutter |  |
| 2022021 | Φ22mm drills (2022029) | Straight Auger |  |
| 2022022 | | Funnel Auger |  |
| 2022023 | | 4-Blade Cutter |  |
| 2022024 | | Grease Cutter |  |
| 2021923 | Accessories | Φ8mm×5m soft shaft combination |  |
| 2022026 | | Φ4mm key Φ5mm key |  |
| 2021925 | | Protection Gloves |  |
| 2021926 | | Accessory Barrel |  |

For 2" to 8" (50mm-200mm) Drain and Sewer Lines.

- The finest all-around and drain cleaning machine. One man can easily clean the heaviest blockages-indoors or out. High-speed cleaning gets the job done faster and better.
- Unique, easy-to-use, instant-acting cable clutch maximizes operator control:
Pull handle down and cable spins at 700 RPM
Release handle, cable stops instantly.
- Low-profile "B-frame" design will fit most crawl spaces, loads and unloads from trunk easily. Upright "A-frame" features cable carrier storage during transport, ideal for in-house application.
- Wheels to the job site, sets up fast, cleaning fast.
- Equipped with 750W motor, 110V, 220V models
- Includes HONGLI drain cleaning machine mitt and operator's manual
- Approved by CE standard

Ordering Information

| Catalog No. | Model No. | Description | N.W (kg) |
|-------------|-----------|--------------------------|----------|
| 2022110 | D200 | Drain cleaner, 110V/60Hz | 95 |
| 2022120 | D200 | Drain cleaner, 220V/50Hz | 95 |
| 2022310 | D200-A | Drain cleaner, 110V/60Hz | 75 |
| 2022320 | D200-A | Drain cleaner, 220V/50Hz | 75 |



D200



D200-A



Specifications

- Main Machine
- Φ 30mm cable combination
- Φ 30mm drills (6 pieces)
- Φ 5.5mm key
- Protection gloves
- Accessory Barrel
- Protection tube

Drain Cleaning

For 2" to 8" (50mm-200mm) Drain and Sewer Lines.

- The finest all-around and drain cleaning machine. One man can easily clean the heaviest blockages-indoors or out. High-speed cleaning gets the job done faster and better.
- Unique, easy-to-use, instant-acting cable clutch maximizes operator control:
Pull handle down and cable spins at 700 RPM
Release handle, cable stops instantly.
- Low-profile "B-frame" design will fit most crawl spaces, loads and unloads from trunk easily. Upright "A-frame" features cable carrier storage during transport, ideal for in-house application.
- Wheels to the job site, sets up fast, cleaning fast.
- Equipped with 750W motor, 110V, 220V models
- Includes HONGLI drain cleaning machine mitt and operator's manual
- Approved by CE standard

Ordering Information

| Catalog No. | Model No. | Description | N.W (kg) |
|-------------|-----------|--------------------------|----------|
| 2023010 | D200-1 | Drain cleaner, 110V/60Hz | 95 |
| 2023020 | D200-1 | Drain cleaner, 220V/50Hz | 95 |
| 2022710 | D200-1A | Drain cleaner, 110V/60Hz | 75 |
| 2022720 | D200-1A | Drain cleaner, 220V/50Hz | 75 |



D200-1



D200-1A



Specifications

- Main machine
- Φ 30mm cable combination
- Φ 30mm drills (6 pieces)
- Φ 5.5mm key
- Protection gloves
- Accessory Barrel
- Protection tube

Ordering Information

| Catalog No. | Model No. | Description | Picture |
|-------------|---|--------------------------------|---|
| 2022210 | Φ30mm cable combination (2022221) | 4pcs Φ30mm×4.6m Flexible Cable |  |
| 2022211 | | Φ500mm Cable Holder | |
| 2022212 | Φ30mm drills (2022222) | Straight Auger |  |
| 2022213 | | Funnel Auger |  |
| 2022214 | | Retrieving Auger |  |
| 2022215 | | Grease Cutter |  |
| 2022216 | | Sawtooth Cutter |  |
| 2022217 | | C-Cutter |  |
| 2022218 | Accessories | Φ5.5mm key |  |
| 2022219 | | Protection Gloves |  |
| 2022220 | | Protection Tube |  |

Drum Type Drain Cleaning Machine

For 1 1/4"-4"(32-100mm) Drain Lines

- The D300F makes quick work for cleaning drains from 1 1/4"-4". A variety of cutting tools with quick connect couplers make it easy to match the right tool for the right job. Ideal for cleaning non-root blockages in floor and gutter drains, interior laterals and vent pipes. Remove grease, debris and lint.
- Clear access to drum, allows immediate view of cable for inspection plus easier and faster cleaning of drum and cable.
- Patented cable control system shows the drum, should cable or blade become completely lodged in blockage, main lines, storm drains, septic lines, building drains

Specifications

- Motor 250W, 110V/ 220V, 50Hz/60Hz
- 300RPM
- Air activated foot switch
- Auto-feed device
- Lean, well-balanced design for easy one-man transport and operation
- $\Phi 12.7\text{mm} \times 15\text{m}$ Solid Core cable
 $\Phi 16\text{mm}$ drills \times 4pcs(Hexagon C-Cutter Bulb Cutter Side Cutter Blades)

D300F



Ordering Information

| Catalog No. | Model No. | Description | N.W (kg) |
|-------------|-----------|--------------------------|----------|
| 2022410 | D300F | Drain cleaner, 110V/60Hz | 35 |
| 2022420 | | Drain cleaner, 220V/50Hz | 35 |

Note: Drum capacity: $\Phi 12.7\text{mm} \times 15\text{m} / \Phi 10\text{mm} \times 23\text{m}$ inner core cable optional.

For 1 1/4"-4"(32-100mm) Drain Lines

- The D330/D360 is a self-contained drain cleaner ideal for lateral drain lines from 1 1/4"-4". Easy-to-transport, narrow design for small entry ways and minimal setup make this machine ideal for tough mainline work
- Comes equipped with a large blade assortment to handle numerous applications. Clears roots, debris and foreign objects out of main lines, storm drains, house laterals and leach lines, main lines, storm drains, septic lines, building drains.



D330ZF

Specifications

- Motor 250W, 110V/ 220V, 50Hz/60Hz
- 300RPM
- Air activated foot switch
- Auto-feed device
- Lean, well-balanced design for easy one-man transport and operation
- $\Phi 12.7\text{mm} \times 15\text{m}$ Solid Core cable
 $\Phi 16\text{mm}$ drills \times 4pcs(Hexagon C-Cutter Bulb Cutter Side Cutter Blades)

Ordering Information

| Catalog No. | Model No. | Description | N.W (kg) |
|-------------|-----------|--------------------------|----------|
| 2022510 | D330ZF | Drain cleaner, 110V/60Hz | 47 |
| 2022520 | | Drain cleaner, 220V/50Hz | 47 |
| 2022610 | D330ZK | Drain cleaner, 110V/60Hz | 47 |
| 2022620 | | Drain cleaner, 220V/50Hz | 47 |

Note: Drum capacity: $\Phi 12.7\text{mm} \times 15\text{m} / \Phi 10\text{mm} \times 23\text{m}$ inner core cable optional.

D330ZK



Sectional Drain Cleaning Machine

Specifications

- Motor: 250W induction type, reversible
- Speed: 400RPM
- For pipes: Φ 19-100mm
- Max working length: 30m

Including

- 1piece Φ 15mm \times 2.3M flexible cable
- 7pieces Φ 16mm \times 2.3M cable
- 1piece Φ 430 cable holder
- 1piece Φ 8mm \times 6M cable combination
- 8pieces Φ 16mm Drills

Ordering Information

| Catalog No. | Model No. | Description | N.W (kg) |
|-------------|-----------|--------------------------|----------|
| 2052710 | S75 | Drain cleaner, 110V/60Hz | 27 |
| 2052720 | S75 | Drain cleaner, 220V/50Hz | 27 |



Specifications

- Motor: 300W induction type, reversible
- Speed: 400RPM
- For pipes: Φ 19-125mm
- Max working length: 30m

Including

- 1piece Φ 15mm \times 2.3M flexible cable
- 7pieces Φ 16mm \times 2.3M cable
- 1piece Φ 430 cable holder
- 1piece Φ 8mm \times 6M cable combination
- 8pieces Φ 16mm Drills

Ordering Information

| Catalog No. | Model No. | Description | N.W (kg) |
|-------------|-----------|--------------------------|----------|
| 2052810 | S125 | Drain cleaner, 110V/60Hz | 30 |
| 2052820 | S125 | Drain cleaner, 220V/50Hz | 30 |



Specifications

- Motor: 400W induction type, reversible
- Speed: 400RPM
- For pipes: Φ 19-150mm
- Max working length: 30m

Including

- 1 piece Φ 15mm*2.3M flexible cable
- 5 pieces Φ 16mm *2.3M cable
- 3 pieces Φ 22mm *4.6M cable
- 2 pieces Φ 430 scable holders
- 1 piece Φ 8mm cable combination
- 4 pieces Φ 16mm Drills ,4 pieces Φ 22mm Drills, 1 piece Φ 4 key

Ordering Information

| Catalog No. | Model No. | Description | N.W (kg) |
|-------------|-----------|--------------------------|----------|
| 2052910 | S150 | Drain cleaner, 110V/60Hz | 37 |
| 2052920 | S150 | Drain cleaner, 220V/50Hz | 37 |



Specifications

- Motor: 1100W induction type, reversible
- Speed: 700RPM
- For pipes: Φ 50-200mm
- Max working length: 50m

Including

- 4 pieces Φ 30mm*4.6M flexible cable
- 1 piece Φ 500 cable holder
- 6 pieces Φ 30mm drills
- 1 piece accessory Barrel
- 1 piece 1.5M protection tube
- a pair of Protection gloves
- 1 piece Φ 5 key

Ordering Information

| Catalog No. | Model No. | Description | N.W (kg) |
|-------------|-----------|--------------------------|----------|
| 2053010 | S200 | Drain cleaner, 110V/60Hz | 70 |
| 2053020 | S200 | Drain cleaner, 220V/50Hz | 70 |



Drain Cleaning

S200B

Specifications

- Motor: 1100W induction type, reversible
- Speed: 700RPM
- For pipes: Φ 50-200mm
- Max working length: 50m



Including

- 4 pieces Φ 30mm*4.6M flexible cable
- 1 piece Φ 500 cable holder
- 6 pieces Φ 30mm drills
- 1 piece accessory Barrel
- 1 piece 1.5M protection tube
- a pair of Protection gloves
- 1 piece Φ 5 key



Ordering Information

| Catalog No. | Model No. | Description | N.W (kg) |
|-------------|-----------|--------------------------|----------|
| 2053110 | S200B | Drain cleaner, 110V/60Hz | 70 |
| 2053120 | S200B | Drain cleaner, 220V/50Hz | 70 |

